



19 inch LCD-Monitor

Model		CY199
LCD Panel	Type Resolution Diagonal Display Area Response Time (TR+TF) Contrast Ratio Brighness Panel Color Backlight View Angle	Hannstar M1990ME12-A00 Active matrix color TFT TN type SXGA 1280 x 1024 19.0 inch 376.32 x 301.056 mm 12 ms Max. 500:1 Typ. 250cd/m ² Typ. 16.2M 4 Lamps (H)+-80°/ (V)+70° -80°(CR>=5)
Control	Power OSD Volume Digital Control	On / Off with LED Indicator 1 page/ 5 Languages Analog Brightness Contrast Horizontal Position Vertical Position Phase Clock Auto-Expansion Color Temperature OSD Position Auto-Centering, Auto-Clock & Auto-Phase Recall, Graph Text 5 Languages
Video	LCD Controller Input Signal Mutimode Supported Horizontal freq. Vertical freq. Expansion	Novatek NT68523 Analog RGB 0.7Vp-p VGA , SVGA , XGA, SXGA, VESA, NEC, APPLE 24~80KHZ 56~75HZ Full Screen
Audio		1 Watts per Channel (2xSpeakers)
Power Managment		VESA DPMS On:55W (max.)/Off:3W (max.)
Plug & Play		DDC1 & DDC2B
External Connection	Power Input Video Cable	AC Power Cord 1.5M with 15-pin D-Sub Connector
Power Supply		100 - 240 VAC, 50/60 Hz
Stand	Tilt Swivel	+5° ~ -25° NA
Physical Security		Kensington Lock
Environment	Operating Temperature @ Humidity Storage Temperature @ Humidity	5°~40° C @ 20%~80% -20°~60° C @ 5%~85%
Dimension		422(W) x 417.5(H) x 210(D) mm
Weight		Net : 6.5 Kgs / Gross : 9 Kgs
Regulatory	Safety EMI	UL, CUL, TUV/GS, T-Mark, ISO13406-2 FCC-B, VCCI, CE, TCO99 (Option)

* This specification is subject to change without further notice.